



FIDELITY
DIAGNOSTICS

Certificate of Analysis

Powered by Confident LIMS

HQF

Gorilla Zkittles

Batch #: 1; Lot #: 1

METRC Batch: 1A408010000277F000008217; METRC Sample: 1A408010000277F000008225

Analysis Initiated: 04/07/2025

Report Created: 04/09/2025

Gorilla Zkittles

Plant, Flower - Cured, Indoor

Harvest/Production Date: 03/31/2025



22.02%

Total Potential
Psychoactive THC

0.06%

Total CBD

Pass

Foreign Matter

25.09%

Total Raw THC

25.95%

Total Cannabinoids

Pass

10.67%

Moisture


Cannabinoids

Pass

Analytical Calibration Batch: Cannabinoids AF 10282024

Analyte	LOQ	Mass	Mass
	%	%	mg/g
THCa	0.05	24.94	249.4
Δ^9 -THC	0.05	0.14	1.4
THCVa	0.05	0.10	1.0
THCV	0.05	ND	ND
CBDa	0.05	0.06	0.6
CBD	0.05	ND	ND
CBN	0.05	ND	ND
CBGa	0.05	0.59	5.9
CBG	0.05	0.10	1.0
CBC	0.05	ND	ND
Total		25.95	259.5

CBDa CBG CBGa Δ^9 -THC
THCa THCVa



96.1%

Total Potential Psychoactive THC = THCa * 0.877 + Δ^9 -THC | Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected.

SOP-0041: Full spectrum cannabinoid analysis by High Performance Liquid Chromatography with UV detection (HPLC-UV). Reported result is based on sample dry weight. SOP-0035: Foreign matter inspection includes but is not limited to hair, insects, stems, seeds, and feces. SOP-0036: Moisture analysis. Testing listed above may not be included in our current PJLA scope of accreditation. Please consult PJLA Certificate# 102722 for a list of current accredited tests.



Fidelity Diagnostics Laboratory
216 Trade St.
Missoula, MT 59808
(406) 926-2211
<http://www.fidimt.com>
License # L-100170-003



Accredited to ISO/IEC 17025:2017
Accreditation #: 102722

Andre Umansky
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Testing performed onsite at Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Results valid only for item tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Certificate shall not be reproduced, without written approval by the laboratory. Quality and uncertainty data available upon request. Sample conformity is set by the state of Montana. Version No. 001