KCA Laboratories 232 North Plaza Drive

Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

1 of 1

EE - CBD - H20 Soluble

Sample ID: SA-250714-65198 Batch: NA Type: In-Process Material Matrix: Oil / Liquid - Other Unit Mass (g):

Received: 07/14/2025 Completed: 07/23/2025 Client

Elemental Extraction 3545 US Rt 60 Huntington, WV 25705 USA Lic. #: 506



Summary

Test Cannabinoids

Date Tested 07/23/2025

Status Tested

ND Total Δ9-THC 2.28 mg/mL CBD

2.36 mg/mL Total Cannabinoids

Not Tested Moisture Content

Not Tested Foreign Matter

Internal Standard Normalization

Yes

Cannabinoids by HPLC-PDA

Analyte	LOD (mg/mL)	LOQ (mg/mL)	Result (mg/mL)	Result (%)
CBC	0.00095	0.00284	ND	ND
CBCA	0.00181	0.00543	ND	ND
CBCV	0.0006	0.0018	ND	ND
CBD	0.00081	0.00242	2.28276	0.233
CBDA	0.00043	0.0013	ND	ND
CBDV	0.00061	0.00182	ND	ND
CBDVA	0.00021	0.00063	ND	ND
CBG	0.00057	0.00172	ND	ND
CBGA	0.00049	0.00147	ND	ND
CBL	0.00112	0.00335	ND	ND
CBLA	0.00124	0.00371	ND	ND
CBN	0.00056	0.00169	0.0489	0.00500
CBNA	0.0006	0.00181	ND	ND
CBT	0.0018	0.0054	0.03266	0.00334
∆4,8-iso-THC	0.0067	0.02	NT	NT
∆8-iso-THC	0.0067	0.02	NT	NT
∆8-THC	0.00104	0.00312	ND	ND
∆8-THCV	0.0067	0.02	NT	NT
∆9-THC	0.00076	0.00227	ND	ND
∆9-THCA	0.00084	0.00251	ND	ND
∆9-THCV	0.00069	0.00206	ND	ND
∆9-THCVA	0.00062	0.00186	ND	ND
exo-THC	0.0067	0.02	NT	NT
Total Δ9-THC			ND	ND
Total			2.36	0.242

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA* 0.877 + Δ9-THC; Total CBD = CBDA* 0.877 + CBD;

Generated By: Ryan Bellone Commercial Director Date: 07/23/2025

Tested By: Nicholas Howard Scientist Date: 07/23/2025









This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.